



CERTIFICATE OF ANALYSIS · IDENTITY · PURITY

Retatrutide


10 mg

Client: **Vistara Labs**

LAB ID RET-524_D ISSUED SEPTEMBER 10, 2026

§ 01 Sample Information

Sample ID: **RET-524_D**
Compound: **Retatrutide**
Report No.: **COA-2026-SC-01927**
Total Mass: **111.3 mg**
Appearance: **Lyophilized powder**
Received: **09/03/2026**
Analyzed: **09/10/2026**
CAS: **2381089-83-2**
Formula: **C₂₂₁H₃₄₂N₄₆O₆₈**
Mol Weight: **4731.3 g/mol**



SAMPLE PHOTOGRAPH

§ 02 Analytical Results

Qualitative and Quantitative chemical analysis by Liquid Chromatography Tandem Mass Spectrometry (HPLC-MS/MS)

Instrument · Agilent 1290 Infinity II with Agilent 6495 QQQ

IDENTITY

Retatrutide

Principal component confirmed against reference standard

NET PEPTIDE CONTENT

12.30 mg

Total peptide in the vial as received

PEPTIDE FILL ACCURACY

123.0 %

Measured net content ÷ declared label claim

CHROMATOGRAPHIC PURITY

99.7 %

Principal-component peak area (Ph. Eur. 2.2.46)

Identity confirmation criteria — MRM 947.9 > 136.1 (quantifier); retention time —: in agreement with reference standard.

Chromatographic purity bounds peptide-related impurities only — not excipients, counter-ions, or residual water — and is separate from net peptide content. Values are reported as measured; this document contains **no pass/fail determination** against any specification or label claim.

DISCLAIMER · RESEARCH USE ONLY

Results relate **only to the sample as received** by Side-Chain Analytics Inc. and the tests performed, as and when received — not to any other unit, vial, lot, or batch, and not to any other product bearing the same name, label, or description. This report is not a verification of any lot or batch. **For research use only:** this report is not a certificate of quality, safety, efficacy, or regulatory compliance; the material tested is not authorized by Health Canada for human or veterinary use; and this report is not for human or veterinary administration, clinical or diagnostic use, or label claims. Side-Chain Analytics Inc. does not manufacture, source, or sell the material tested and makes **no warranty, express or implied;** its liability shall not exceed the testing fee. This report may not be reproduced except in full, and may not be reproduced, displayed, quoted, or referenced — in whole or in part, including by any badge, seal, or link — in connection with the advertising, offer for sale, sale, or distribution of any product. This certificate is valid only as currently shown at sidechainanalytics.com/verify and may be withdrawn.

**FOR RESEARCH USE ONLY — NOT AUTHORIZED
BY
HEALTH CANADA FOR HUMAN OR VETERINARY
USE**